CONTENTS

Preface ix
Microscopic modelling of association
G. Stell (Stony Brook, NY, USA) and Y. Zhu (Pomona, CA, USA). 1–20
Statistical mechanical modeling of associating solutions
E.Z. Hamad, U.A. El-Nafaty (Dhahran, Saudi Arabia) and G.A. Mansoori (Chicago, IL, USA) 21–31
An isomorphic generalization of the law of corresponding states for binary mixtures
S.B. Kiselev and A.A. Povodyrev (Moscow, Russian Federation). 33–47
Multi-anchored state equations applied to square-well fluids with differing well-widths
H.M. Paynter (Cambridge, MA, USA), G.Y. Masada and E.P. Fahrenthold (Austin, TX, USA) 49–62
The prediction of thermodynamic properties of the liquid–vapor coexistence states
A.J. Mahajan (Cleveland, OH, USA) and R.B. Stewart (Moscow, ID, USA) 63–75
Thermodynamic properties of the methane–ethane system
D.G. Friend and J.F. Ely (Boulder, CO, USA) 77–88
Singularity of liquid water-data analysis and modelling
H. Sato (Yokahama, Japan) 89–101
Equation of state for pure sodium chloride
A. Anderko and K. S. Pitzer (Berkeley, CA, USA) 103–112
A thermodynamic property formulation for air
R.T. Jacobsen, S.G. Penoncello, S.W. Beyerlein, W.P. Clarke and E.W. Lemmon (Moscow, ID, USA) 113–124
Virial coefficients and equations of state for mixed fluids; application to CH_4–H_2O
K.S. Pitzer, A. Anderko and S.M. Sterner (Berkeley, CA, USA)... 125–137
Computer simulation of interfaces between two-dimensional fluid phases
K.P. Shukla and M. Robert (Houston, TX, USA) 139–149
The thermal behaviour of pure fluid substances in the critical region—experiences from recent $P\rho T$ measurements on SF_6 with multi-cell apparatus
W. Wagner, N. Kurzeja and B. Pieperbeck (Bochum, Germany).. 151–174
Fiber optic sensor for liquid mixture composition
B. Zhou, J.E.S. Venart (Fredericton, Canada) and S. Hinata (Ueda, Japan) 175–185
Phase equilibria and multiple azeotropy of an acetic acid–isobutyl acetate system
S. P. Christensen and J. D. Olson (South Charleston, WV, USA) . 187–199
Determination of the sound velocity of transparent fluids near the critical point using photon correlation spectroscopy
A. Leipertz, K. Kraft (Erlangen, Germany) and G. Simonsohn (Berlin, Germany) 201–209

The sound velocity of a mixture of He and N_2 up to 10 kbar and from 157 K to 298 K
W. Zhang and J. A. Schouten (Amsterdam, The Netherlands).... 211–220
Acoustic cavity method for sonic measurements in liquids and stock tank oils
S.O. Colgate, A. Sivaraman and C. Dejsupa (Gainesville, FL, USA)..... 221–229
Acoustic resonance determination of sonic speed and the critical point for a typical retrograde gas condensate
S.O. Colgate, K.C. McGill, A. Sivaraman and D. Tatro (Gainesville, FL, USA)..... 231–240
Experimental study of wetting properties of three-component surfactant systems
M. Robert and K.P. Shukla (Houston, TX, USA)..... 241–253
Dielectric constant measurements of toluene and benzene
U.V. Mardolcar C.A. Nieto de Castro and F.J.V. Santos (Lisbon, Portugal)..... 255–264
The prediction of transport properties of fluids
C.A. Nieto de Castro (Lisbon, Portugal) and W.A. Wakeham (London, UK)..... 265–276
Transport properties in dense fluids and their binary mixtures
R. Castillo, A. Villaverde and J. Orozco (Mexico, D.F., Mexico).. 277–288
Kinetic theory for the bulk viscosity of the square-well fluid
J. Karkheck (Flint, MI, USA)..... 289–300
The viscosity of methane at 273 K up to 1 GPa
P.S. van der Gulik, R. Mostert and H.R. van den Berg (Amsterdam, The Netherlands)..... 301–311
Vapor phase viscosity of toluene and *p*-xylene
E. Vogel and S. Hendl (Rostock, Germany)..... 313–326

Author Index..... 327